< FOR PATENT APPLICATION #
08/813,247 >

APPENDIX

I

COMPARISON
between
conventional method

and
invention method

1/15/2001

by: Mitsuhiro Aida

M B A & Juris Doctor
3-8-25 Saikujo-cho, Nara City, Nara, Japan 630-8453
Tel:81-742-61-7708   Fax:81-742-64-1653
Email:aimail@asahi.email.ne.jp

Do not enter

− ∇S −

Conventional method (Operator oriented performance)	Invention method (Higher performance in a blind manner which is supported by the system)

Conventional method (left side)

Input		Results	
Sequence		on the display	

c — comfort
comfortable
|
comparative
compare
(All the words with c at the head are displayed)

<< ommitted for the case of input : co, com >>

comm — comma
|
community
(All the words with comm at the head are displayed)

commo — commodity
|
commotion
(All words with commo at the head are displayed)

commod — commodity
("commodity" can be selected by the operator)

Invention method (right side)

Input		Results	
Sequence		on the display	

Input   Display

s —   —

(Relevant words determined)

ship — shipbuilding
shipment
shipping

< Selection input afterward >

b — shipbuilding
m — shipment   } are displayed
p — shipping

Conventional method - Examples

(KBI, without Enter key. Operator must always watch the result on the dislay ~~always~~, for the selection of desired word)	(KBI - Abbreviatn., with Enter key. Operator must watch the result of dictionary search, when operator depressed Enter key, for the selection of desired word)

[Input]   ⟨Display⟩
 	
c   combination
     |
     comparison
(All the words with "c" at the head are displayed)
	[Input] ⟨Display⟩
	
	com + (E)(enter) -unknown message-
	(com is not reg'd)
	in the abbreviation
	dictionary in
	this example)

⟨⟨ ommitted for the input of : co, com ⟩⟩	

comm   comma
    |
    community
(All the words with "comm" at the head are displayed)
	comm -ditto-

commo   commodity
    |
    commotion
(All the words with "commo" at the head are displayed)
	commp + (E) commonplace
	("commp is in the abbrevi. dictionary)

commod commodity ("commodity" can be selected by the operator)	commun + (E) communication ("commun" is in the abbrevi. dictionary)

Invention method – Examples

Case – 1
(KBI, without Enter key.
Operator does not have
to watch the result
on the display)

Case – 2
(KBI – Abbreviatn., without Enter key.
Operator does not have to watch
the result on the display)

Input	Display
d	– –
↓	
differ	– differ
	difference
	different
	differential
	differentiate
	differentiation

(Words with the same stem)

‹ Examples of selection input afterward ›

Input	Display
c or ce	– difference
t	– different
l	– differential
te	– differentiate
n	– differentiation

ARE DISPLAYED

Input	Display
c	–
comd	commodity
comdt	commodity
↓	
commp	commonplace
compl	commonplace
commwl	commonwealth
cmnwlth	commonwealth
communi	communication

Input characters do not have to be
registered in the abbreviation word
dictionary.

Conventional method – Examples

Case – 1
(STROKE input, with a list of
characters for the radical
specified. The operator must
watch the result on the
display after depressing
Enter key)

Input   Display

Enter

A list of
radicals
(see appendix)
Ⅱ

Select ← — — Move cursor back/forth or
(Enter)   up/down to the required
           position and select(Enter)

(All the characters
with the radical
selected are
displayed)

*See
appendix
Ⅱ

Select ← — — Move cursor back/forth or
(Enter)   up/down to the required
           position and select(Enter)

米

Case – 2
(STROKE input, with a list of
characters for the number
of strokes specified. The ope-
rator have to watch the result
after depressing Enter key)

Input   Display

Enter

A list of
the number of
strokes of radicals
(see appendix)
Ⅱ

Select
↖ Move cursor back/forth
or up/down to the
required position and
select(Enter)

(All the characters
with the number
of strokes selected
are displayed)

Select   * See appendix Ⅱ
↖ Move cursor back/forth
or up/down to the
required position and
select(Enter)

王

Invention method

(STROKE INPUT)

Operator is able to select a character among those with the same first part (after successful determination of the same first part), at the time of following input

(Example of Kanji characters for comparison)

Input	Display
一 （一）	—
｜ （十）	—
／ （才）	— NOT DISPLAYED
、 （本）	—
／ （杉'）	㊉杉杓桝桁

(ex) Characters w/- same first part of 杉

⟨Examples of selection input afterward⟩

／ （杉 ）…桁
フ （杓 ）…杓
フ （杉 ）…桁

are displayed

etc